

Grand Uganda | Species List

July 15 – 31, 2022 | with Naturalist Journeys



Participants: Naturalist Journeys group leader Gerard Gorman, with local guides Patricia and Davis, and participants Anne, Gill, Greg, Heather, Jenny, Shannon, Suzanne and Will.

Family, Species Common Name, Scientific Name

BIRDS: 356 species

ANSERIFORMES: Anatidae (5 species)

- White-faced Whistling-Duck** *Dendrocygna viduata*. (2 days) Small groups in Mabamba Swamp and by the Nile.
Egyptian Goose *Alopochen aegyptiaca*. (8 days) Seen on most wetlands. Many close looks.
Spur-winged Goose *Plectropterus gambensis*. (1 day) Three seen in flight in Mabamba Swamp.
African Black Duck *Anas sparsa*. (1 day) Two seen well on a roadside pool at Bwindi.
Yellow-billed Duck *Anas undulata*. (2 days) At Mabamba Swamp and roadside wetland near Mburo. Good looks.

GALLIFORMES: Numididae (1 species)

- Helmeted Guineafowl** *Numida meleagris*. (6 days) Seen in most grasslands/savanna areas. Many great looks.

GALLIFORMES: Phasianidae (3 species)

- Heuglin's Francolin** *Pternistis icterorhynchus*. (1 day) Only seen at Murchison. Decent look.
Red-necked Francolin *Pternistis afer*. (5 days) Seen at Mburo and Queen Elizabeth. Many close and good looks.
Crested Francolin *Dendroperdix sephaena*. (1 day) Only seen briefly at Mburo.

PHOENICOPTERIFORMES: Phoenicopteridae (1 species)

- Lesser Flamingo** *Phoeniconaias minor*. (1 day) Up to 100 at the Katwe salt-works at Queen Elizabeth.

COLUMBIFORMES: Columbidae (13)

- Rock Pigeon** *Columba livia*. (10 days) Only feral birds seen, non were truly wild. Mostly in urban areas.
Speckled Pigeon *Columba guinea*. (1 day) Seen on way from Mburo to Bwindi. Good look.
Rameron (African Olive) Pigeon *Columba arquatrix*. (1 day) One seen perched in canopy on the Gorilla trek.
Mourning Collared-Dove *Streptopelia decipiens*. (2 days) Several seen well at Murchison.
Red-eyed Dove *Streptopelia semitorquata*. (13 days) Very common and widespread. Good views of several.
Ring-necked Dove *Streptopelia capicola*. (8 day) Fairly common and widespread. Often close up on utility wires.
Vinaceous Dove *Streptopelia vinacea*. (1 day) Only seen at Murchison.
Laughing Dove *Streptopelia senegalensis*. (5 days) Scattered observations. Some close looks.
Emerald-spotted Wood-Dove *Turtur chalcospilos*. (1 day) Seen at Mburo. Decent look.
Black-billed Wood-Dove *Turtur abyssinicus*. (1 day) Only seen at Murchison. Decent views.
Blue-spotted Wood-Dove *Turtur afer*. (5 days) Scattered observations. Some good looks.

Tambourine Dove *Turtur tympanistris*. (6 days) Scattered observations, others heard but not seen.
African Green-Pigeon *Treron calvus*. (3 days) Seen at Entebbe, Queen Elizabeth and Kibale.

OTIDIFORMES: Otididae (2)

Denham's Bustard *Neotis denhami*. (2 days) Only seen at Murchison. Good looks.

Black-bellied Bustard *Lissotis melanogaster*. (1 day) Seen quite close walking through grass at Queen Elizabeth.

CUCULIFORMES: Musophagidae (6)

Great Blue Turaco *Corythaeola cristata*. (4 days) Scattered views of perched and flying birds. Some wonderful looks.

Black-billed Turaco *Tauraco schuettii*. (1 day) Seen briefly but well on the Buhoma trail.

White-crested Turaco *Tauraco leucolophus*. (1 day) Seen quite well during boat trip on the Nile.

Ross's Turaco *Musophaga rossae*. (2 days) Seen in Entebbe hotel grounds and Buhoma. Some great looks.

Bare-faced Go-away-bird *Corythaixoides personatus*. (2 days) Only seen at Mburo. Good looks.

Eastern Plantain-eater *Crinifer zonurus*. (9 days) Fairly common locally. Some close and great looks.

CUCULIFORMES: Cuculidae (9)

Senegal Coucal *Centropus senegalensis*. (2 days) Seen near Budongo and at Murchison. Several good looks.

Blue-headed Coucal *Centropus monachus*. (2 days) One heard, one seen well at Murchison.

White-browed Coucal *Centropus superciliosus*. (6 days) See at Mburo, Queen Elizabeth and Murchison.

Blue Malkoha (Chattering Yellowbill) *Ceuthmochares aereus*. (1 day) One seen well along the Royal Mile.

Pied Cuckoo *Clamator jacobinus*. (2 days) Seen at Murchison. Good looks.

Dideric Cuckoo *Chrysococcyx caprius*. (2 days) One at Mabamba Swamp, one during Nile boat trip at Murchison.

Klaas's Cuckoo *Chrysococcyx klaas*. (2 days) One seen at Buhoma, one at Kibale.

African Emerald Cuckoo *Chrysococcyx cupreus*. (1 day) Heard only.

Red-chested Cuckoo *Cuculus solitarius*. (2 days) Heard only.

CAPRIMULGIFORMES: Caprimulgidae (2)

Pennant-winged Nightjar *Caprimulgus vexillarius*. (1 day) A male seen brilliantly after dark at the Mburo lodge.

Square-tailed Nightjar *Caprimulgus fossil*. (1 day) One seen well after dark on a track at the Mburo lodge.

CAPRIMULGIFORMES: Apodidae (5)

Sabine's Spinetail *Rhaphidura sabini*. (1 day) Seen on the Bigodi trail.

Alpine Swift *Apus melba*. (2 days) Flocks overhead at Kibale, Bigodi and Budongo. Some quite low down.

Little Swift *Apus affinis*. (3 days) Seen well at Entebbe, Mburo and Queen Elizabeth.

White-rumped Swift *Apus caffer*. (5 days) Scattered sightings of overheard flocks, some quite low.

African Palm-Swift *Cypsiurus parvus*. (5 days) Dozens in flight at Murchison, including around the lodge.

GRUIFORMES: Sarothruridae (1)

White-spotted Flufftail *Sarothrura pulchra*. (2 days) Heard only. A difficult to see 'skulker'.

GRUIFORMES: Rallidae (2)

African Swampfen *Porphyrio madagascariensis*. (2 days) Seen during boat trips at Mabamba and on the Nile.

Black Crake *Zapornia flavirostra*. (8 days) Seen at most wetlands. Several really good looks.

GRUIFORMES: Heliornithidae (1)

African Finfoot *Podica senegalensis*. (1 day) Two birds seen from the boat at Lake Mburo. Great looks.

GRUIFORMES: Gruidae (1)

Gray Crowned-Crane *Balearica regulorum*. (8 days) Scattered observations of pairs and flocks. Some really great looks.

CHARADRIIFORMES: Burhinidae (3)

Water Thick-knee *Burhinus vermiculatus*. (4 days) Seen during boat trips at Mburo, Kazinga Channel and on the Nile.

Senegal Thick-knee *Burhinus senegalensis*. (2 days) Several, some in groups, seen well during boat trips on the Nile.

Spotted Thick-knee *Burhinus capensis*. (1 day) Seen well on night drive at Murchison.

CHARADRIIFORMES: Recurvirostridae (1)

Black-winged Stilt *Himantopus Himantopus*. (1 day) Several seen well during boat trip on the Kazinga Channel.

CHARADRIIFORMES: Charadriidae (8)

Long-toed Lapwing *Vanellus crassirostris*. (5 days) Scattered sightings, mostly at wetlands. Great looks.

Spur-winged Lapwing *Vanellus spinosus*. (5 days) Scattered sightings, mostly at wetlands. Great looks.

Black-headed Lapwing *Vanellus tectus*. (1 day) Seen at Murchison. Good, close, looks.

Senegal Lapwing *Vanellus lugubris*. (1 day) Only seen at Murchison. Good views.

Crowned Lapwing *Vanellus coronatus*. (1 day) Seen well on savanna at Queen Elizabeth.

Wattled Lapwing *Vanellus senegallus*. (5 days) Great views of several on savanna at Mburo and Queen Elizabeth.

Kittlitz's Plover *Charadrius pecuarius*. (1 day) Seen well at Queen Elizabeth.

Three-banded Plover *Charadrius tricollaris*. (1 day) Seen well on the shore of the Kazinga Channel.

CHARADRIIFORMES: Jacanidae (1)

African Jacana *Actophilornis africanus*. (6 days) Common on most wetlands. Numerous great views.

CHARADRIIFORMES: Scolopacidae (2)

Common Sandpiper *Actitis hypoleucos*. (3 days) Single birds seen on the Kazinga Channel and Nile boat trips.

Wood Sandpiper *Tringa glareola*. (1 day) One seen on a roadside wetland near Buhoma.

CHARADRIIFORMES: Glareolidae (1)

Rock Pratincole *Glareola nuchalis*. (1 day) Several adults and young seen well on boulders at Murchison Falls.

CHARADRIIFORMES: Laridae (3)

Gray-hooded Gull *Chroicocephalus cirrocephalus*. (2) A few at the Mabamba Swamp and the Kazinga Channel.

White-winged Tern *Chlidonias leucopterus*. (1 day) Several non-breeding birds over Mabamba Swamp.

African Skimmer *Rynchops flavirostris*. (3 days) Good views of flying and resting flocks on the Kazinga Channel and Nile.

CICONIIFORMES: Ciconiidae (5)

African Openbill *Anastomus lamelligerus*. (7 days) Locally common, groups often roosting in trees. Great looks.

Woolly-necked Stork *Ciconia episcopus*. (1 day) A couple seen at the roadside on the way to Queen Elizabeth.

Saddle-billed Stork *Ephippiorhynchus senegalensis*. (2 days) Seen well during boat trips on the Nile.

Marabou Stork *Leptoptilos crumenifer*. (12 days) Common and widespread, often in urban areas. Many seen up close.

Yellow-billed Stork *Mycteria ibis*. (7 days) Scattered sightings. Several good looks.

SULIFORMES: Anhingidae (1)

African Darter *Anhinga rufa*. (2 days) Only seen on the Nile, where common. Great close looks of perched birds.

SULIFORMES: Phalacrocoracidae (2)

Long-tailed Cormorant *Microcarbo africanus*. (6 days) Common. Seen on all large wetlands. Good looks.

Great (White-breasted) Cormorant *Phalacrocorax carbo lucidus*. (1 day) Only seen on the Kazinga Channel.

PELECANIFORMES: Pelecanidae (2)

Great White Pelican *Pelecanus onocrotalus*. (1 day) A roosting flock of 50+ on the shore of the Kazinga Channel.

Pink-backed Pelican *Pelecanus rufescens* (5 days) The more widespread of the two pelicans, locally common.

PELECANIFORMES: Balaenicipitidae (1)

Shoebill *Balaeniceps rex*. (1 day) Amazing close views in the Mabamba Swamp; a lone adult, an adult with a chick.

PELECANIFORMES: Scopidae (1)

Hamerkop *Scopus umbrette*. (10 days) Common and widespread, even in urban areas. Many great looks.

PELECANIFORMES: Ardeidae (12)

Gray Heron *Ardea cinerea*. (6 days) Fairly common, but not seen in large numbers.

Black-headed Heron *Ardea melanocephala*. (8 days) Common and widespread. Several great looks.

Goliath Heron *Ardea goliath*. (4 days) Several seen well along the Kazinga Channel, most seen along the Nile.

Purple Heron *Ardea purpurea*. (3 days) Around 10 singles seen; at Mabamba, Kazinga Channel and on the Nile.

Great Egret *Ardea alba*. (7 days) Fairly common, but not seen in large numbers. Good looks.

Intermediate Egret *Ardea intermedia*. (3 days) Only three confirmed; perhaps overlooked.

Little Egret *Egretta garzetta*. (8 days) Locally common; seen on most wetlands. Good looks.

Cattle Egret *Bubulcus ibis*. (9 days) Common and widespread. Some close looks.

Squacco Heron *Ardeola ralloides*. (3 days) Singles figures seen; at Mabamba, Kazinga Channel and on the Nile.

Rufous-bellied Heron *Ardeola rufiventris*. (1 day) One seen briefly at a roadside wetland on the way to Bwindi.

Striated Heron *Butorides striata*. (4 days) Seen during boat trips on Lake Mburo, Kazinga Channel and the Nile.

White-backed Night-Heron *Gorsachius leuconotus*. (1 day) One spied on a nest deep in a bush at Lake Mburo.

PELECANIFORMES: Threskiornithidae (3)

Glossy Ibis *Plegadis falcinellus*. (1 day) A flock seen high overhead at Lake Mburo. A rarity.

Sacred Ibis *Threskiornis aethiopicus*. (6 days) Scattered sightings. Good looks.

Hadada Ibis *Bostrychia hagedash*. (15 days) Very common and widespread. Numerous close looks.

ACCIPITRIFORMES: Accipitridae (27)

Osprey *Pandion haliaetus*. (2 days) Three birds in total, all over the Nile at Murchison. Good looks of one with a fish.

Black-shouldered Kite *Elanus caeruleus*. (4 days) Four single roadside birds seen well, in flight and perched.

African Harrier-Hawk *Polyboroides typus*. (8 days) Widespread, scattered sightings. Some good looks.

Palm-nut Vulture *Gypohierax angolensis*. (9 days) Widespread, scattered sightings. Some close looks.

White-headed Vulture *Trionoceph occipitalis*. (3 days) Several seen well at Mburo.

Lappet-faced Vulture *Torgos tracheliotos*. (1 day) One with other vultures at Mburo.

Hooded Vulture *Necrosyrtes monachus*. (1 day) Several seen soaring high over Mabamba Swamp.

White-backed Vulture *Gyps africanus*. (8 days) Fairly common over savanna. Good views.

Rüppell's Griffon *Gyps rueppelli*. (1 day) One seen well perched with other vultures at Murchison.

Bateleur *Terathopius ecaudatus*. (9 days) Fairly common over savanna. Great looks of variously aged birds.

Brown Snake-Eagle *Circaetus cinereus*. (4 days) Four seen perched; two at Queen Elizabeth, two at Murchison.

Banded Snake-Eagle *Circaetus cinerascens*. (4 days) Five seen; one at Mburo, two Queen Elizabeth, two Murchison.
Martial Eagle *Polemaetus bellicosus*. (1 day) One immature perched in a tree by the Nile near Lake Albert.
Long-crested Eagle *Lophaetus occipitalis*. (7 days) Fairly common, even near urban areas. Good looks.
Wahlberg's Eagle *Hieraetus wahlbergi*. (8 days) Widespread, scattered sightings. Mostly in flight.
Booted Eagle *Hieraetus pennatus*. (1 day) An adult pale morph with other raptors over Murchison airport.
Tawny Eagle *Aquila rapax*. (1 day) One perched subadult seen well in Mburo.
Lizard Buzzard *Kaupifalco monogrammicus*. (7 days) Fairly common, even in urban areas. Good looks of some perched.
Dark Chanting-Goshawk *Melierax metabates*. (3 days). Several sightings at Murchison. One perched close by.
African Marsh-Harrier *Circus ranivorus*. (2 days) Around a dozen good sightings at Mabamba Swamp.
African Goshawk *Accipiter tachiro*. (1 day) One briefly on route from Fort Portal to Masindi.
Shikra *Accipiter badius*. (2 days) Two brief but good looks, at roadsides.
Little Sparrowhawk *Accipiter minullus*. (1 day) One seen briefly at Queen Elizabeth.
Black Goshawk *Accipiter melanoleucus*. (1 day) One seen briefly on route to Murchison.
Black Kite *Milvus migrans*. (6 days) Locally common, particularly in urban areas. Close looks.
African Fish-Eagle *Haliaeetus vocifer*. (8 days) Seen at all large wetlands; about 25 counted on some days. Great looks.
Augur Buzzard *Buteo augur*. (1 day) One seen quite well in flight at Bwindi.

STRIGIFORMES: Strigidae (3)

Verreaux's Eagle-Owl *Bubo lacteus*. (2 days) One great view in roadside tree during the day, one at night at Murchison.
Grayish Eagle-Owl *Bubo cinerascens*. (1 day) One seen well on night drive at Murchison.
African Wood-Owl *Strix woodfordii*. (5 days) Heard at night in the grounds of the Entebbe and Buhoma hotels.

COLIIFORMES: Coliidae (2)

Speckled Mousebird *Colius striatus*. (16 days) Very common and widespread; good looks every day.
Blue-naped Mousebird *Urocolius macrourus*. (6 days) Not as common as its relative, only scattered sightings.

TROGONIFORMES: Trogonidae (1)

Narina Trogon *Apaloderma narina*. (1 day) Good looks of one perched at Kibale while watching Chimpanzees.

BUCEROTIFORMES: Phoeniculidae (2)

Green Woodhoopoe *Phoeniculus purpureus*. (2 days) Two small groups seen well; at Mburo and Queen Elizabeth.
Common Scimitarbill *Rhinopomastus cyanomelas*. (1 day) A small group seen quite well at Queen Elizabeth.

BUCEROTIFORMES: Bucorvidae (1)

Abyssinian Ground-Hornbill *Bucorvus abyssinicus*. (4 days) Several seen close daily, often in pairs, at Murchison.

BUCEROTIFORMES: Bucerotidae (4)

Crowned Hornbill *Lophoceros alboterminatus*. (2 days) Just two sightings; seen well in Entebbe Botanical Gardens.
African Gray Hornbill *Lophoceros nasutus*. (6 days) Locally common at Mburo and Murchison. Good looks.
Black-and-white-casqued Hornbill *Bycanistes subcylindricus*. (9 days) Seen in most wooded areas with big trees.
White-thighed Hornbill *Bycanistes albotibialis*. (1 day) At least three seen in flight, briefly perched, the Royal Mile forest.

CORACIIFORMES: Alcedinidae (10)

Malachite Kingfisher *Corythornis cristatus*. (5 days) Seen at various wetlands. Several great looks.
African Pygmy-Kingfisher *Ispidina picta*. (5 days) Seen on 4 days, heard on 1 other. As above, perhaps overlooked.
African Dwarf Kingfisher *Ispidina lecontei*. (1 day) One seen well in the Royal Mile forest.

Chocolate-backed Kingfisher *Halcyon badia*. (1 day) One seen in the Royal Mile forest. Good 'scoped look.
Gray-headed Kingfisher *Halcyon leucocephala*. (4 days) Several seen well at Queen Elizabeth and Murchison.
Woodland Kingfisher *Halcyon senegalensis*. (11 days) Common and widespread, often close up on roadside wires.
Blue-breasted Kingfisher *Halcyon malimbica*. (1 day) One seen fairly well in the Royal Mile forest.
Striped Kingfisher *Halcyon chelicuti*. (6 days) Fairly widespread and locally common. Good looks.
Giant Kingfisher *Megaceryle maxima*. (2 days) Several seen during boat trips on the Nile. Good views.
Pied Kingfisher *Ceryle rudis*. (7 days) Common and conspicuous at most wetland sites. Wonderful looks.

CORACIIFORMES: Meropidae (8)

Black Bee-eater *Merops gularis*. (2 days) Single figures seen at Buhoma. Good looks.
Red-throated Bee-eater *Merops bullocki*. (3 days) Single figures seen at Queen Elizabeth and Murchison.
Little Bee-eater *Merops pusillus*. (3 days) Only seen at Mburo. Great views of flying and perched birds.
Blue-breasted Bee-eater *Merops variegatus*. (1 day) Seen very well at Entebbe Botanical Gardens.
Cinnamon-chested Bee-eater *Merops oreobates*. (3 days) Seen at Bwindi. Good looks.
White-throated Bee-eater *Merops albicollis*. (1 day) Several seen well on way to/from Mabama Swamp.
Madagascar Bee-eater *Merops superciliosus*. (4 days) Scattered observations. Good looks.
Northern Carmine Bee-eater *Merops nubicus*. (1 day) Seen well during boat trip on the Nile.

CORACIIFORMES: Coraciidae (3)

Lilac-breasted Roller *Coracias caudatus*. (3 days) Only seen at Mburo. Great views of perched birds.
Broad-billed Roller *Eurystomus glaucurus*. (10 days) Common and widespread; often on roadside wires. Great looks.
Blue-throated Roller *Eurystomus gularis*. (1 day) Seen well in the Royal Mile forest.

PICIFORMES: Lybiidae (11)

Crested Barbet *Trachyphonus vaillantii*. (3 days) Only seen at Mburo. Good look.
Gray-throated Barbet *Gymnobucco bonapartei*. (1 day) One seen quite well on the Buhoma trail.
Speckled Tinkerbird *Pogoniulus scolopaceus*. (2 days) Seen quite well at Buhoma and Queen Elizabeth.
Yellow-throated Tinkerbird *Pogoniulus subsulphureus*. (2 day) Heard at Buhoma, seen in the Royal Mile forest.
Yellow-rumped Tinkerbird *Pogoniulus bilineatus*. (2 days) Good looks at Queen Elizabeth, heard at Murchison.
Yellow-fronted Tinkerbird *Pogoniulus chrysoconus*. (2 days) Heard in Entebbe, seen well at Murchison.
Hairy-breasted Barbet *Tricholaema hirsute*. (2 days) Seen quite well at Kibale and in the Royal Mile forest.
Spot-flanked Barbet *Tricholaema lacrymosa*. (6 days) Scattered observations. Some great looks.
White-headed Barbet *Lybius leucocephalus*. (2 days) Seen at Mburo and Bwindi. Good looks.
Black-billed Barbet *Lybius guifsobalito*. (4 days) Several seen at Murchison. Good looks.
Double-toothed Barbet *Lybius bidentatus* (3 days) Seen well in Entebbe, Queen Elizabeth and Murchison.

PICIFORMES: Indicatoridae (2)

Dwarf Honeyguide *Indicator pumilio*. (1 day) One seen briefly on the Buhoma trail.
Lesser Honeyguide *Indicator minor*. (1 day) One seen up close on the Bigodi trail.

PICIFORMES: Picidae (9)

Red-throated (Rufous-necked) Wryneck *Jynx ruficollis*. (1 day) Two seen well; one at a cavity in the Queen Elizabeth.
Speckle-breasted Woodpecker *Chloropicus poecilolaemus*. (1 day) A perched female seen well on the Bigodi trail.
Cardinal Woodpecker *Chloropicus fuscescens*. (2 days) Great looks on the Bigodi trail, one heard at the Murchison lodge.
Golden-crowned Woodpecker *Chloropicus xantholophus*. (1 day) A pair seen in the Royal Mile forest.
African Gray Woodpecker *Chloropicus goertae*. (1 day) One seen briefly from the boat near Lake Albert.

Elliot's Woodpecker *Chloropicus elliotii*. (1 day) One seen well on the Buhoma trail.

Brown-eared Woodpecker *Campethera caroli*. (1 day) One seen well in the Royal Mile forest.

Buff-spotted Woodpecker *Campethera nivosus*. (2 days) Good looks. One on the Bigodi trail one on the Buhoma trail.

Nubian Woodpecker *Campethera nubica*. (2 days) A pair at Queen Elizabeth, one by the Nile at Murchison.

FALCONIFORMES: Falconidae (3)

Common (Eurasian) Kestrel *Falco tinnunculus*. (4 days) About six seen, perched and flying, mostly at roadside stops.

Gray Kestrel *Falco ardosiaceus*. (5 days) Seen perched at Mburo, Queen Elizabeth and Murchison.

African Hobby *Falco cuvierii*. (2 days) One seen briefly at Queen Elizabeth, one by the Nile at Murchison.

PSITTACIFORMES: Psittacidae (2)

Gray Parrot *Psittacus Erithacus*. (2 days) Seen fairly well in Entebbe and in the Royal Mile forest.

Meyer's Parrot *Poicephalus meyeri* (2 days) Several seen at Mburo, usually in flight, some perched.

PASSERIFORMES: Pittidae (1)

African Pitta *Pitta reichenowi*. (1 day) One seen brilliantly at Kibale when tracking Chimpanzees.

PASSERIFORMES: Campephagidae (1)

Red-shouldered Cuckooshrike *Campephaga phoenicea*. (1 day) One seen well at the Nguse River Camp.

PASSERIFORMES: Oriolidae (1)

Western Black-headed Oriole *Oriolus brachyrynchus*. (1 day) One in the canopy in the Royal Mile forest.

PASSERIFORMES: Platysteiridae (5)

Brown-throated Wattle-eye *Platysteira cyanea*. (3 days) Seen on the Buhoma and Bigodi trails; another heard.

Black-throated Wattle-eye *Platysteira peltate*. (1 day) One seen on way from Mburo to Bwindi.

Chestnut Wattle-eye *Platysteira castanea*. (1 day) One seen briefly but quite well in the Royal Mile forest.

Chinspot Batis *Batis molitor*. (1 day) One seen well near Kibale.

Ituri Batis *Batis ituriensis*. (1 day) One seen briefly but well in the Royal Mile forest.

PASSERIFORMES: Vangidae (1)

Black-and-white Shrike-flycatcher *Bias musicus*. (1 day) Decent look of one in the Royal Mile forest.

PASSERIFORMES: Malaconotidae (6)

Northern Puffback *Dryoscopus gambensis*. (2 days) Singles seen quite well at Buhoma and at Kibale.

Black-crowned Tchagra *Tchagra senegalus*. (3 days) Seen at Queen Elizabeth, Royal Mile and Murchison.

Luehder's Bushshrike *Laniarius luehderi*. (1 day) One seen briefly but quite well on the Buhoma trail.

Tropical Boubou *Laniarius major*. (4 days) Single birds seen at Mburo and Queen Elizabeth. Some good looks.

Black-headed Gonolek *Laniarius erythrogaster*. (8 days) Scattered observations; locally common. Good looks.

Papyrus Gonolek *Laniarius mufumbiri*. (2 days) Seen by the Katunguru Bridge and during a Nile boat trip.

PASSERIFORMES: Dicruridae (1)

Fork-tailed Drongo *Dicrurus adsimilis*. (2 days) Surprisingly only two seen, both on roadside utility wires.

PASSERIFORMES: Monarchidae (1)

African Paradise-Flycatcher *Terpsiphone viridis*. (3 days) Males seen at the Nguse River Camp, Budongo and Murchison.

PASSERIFORMES: Laniidae (3)

Gray-backed Fiscal *Lanius excubitoroides*. (9 days) Common in areas of savanna. Good looks of singles on utility wires.

Mackinnon's Shrike *Lanius mackinnoni*. (2 days) Seen on utility wire near lodge at Buhoma.

Northern Fiscal *Lanius humeralis*. (5 days) Good views at Mburo, Queen Elizabeth and near the Nguse River Camp.

PASSERIFORMES: Corvidae (3)

Piapiac *Ptilostomus afer*. (5 days) Very common at Murchison; parties of adults and juveniles seen close up daily.

Pied Crow *Corvus albus*. (13 days) Very common and widespread; often in settlements. Close looks.

White-necked Raven *Corvus albicollis*. (2 days) Good looks, and heard, at the lodge at Buhoma.

PASSERIFORMES: Stenostiridae (2)

African Blue-Flycatcher *Elminia longicauda*. (2 days) Good looks at Kibale, Bigodi and the Nguse River Camp.

White-tailed Blue-Flycatcher *Elminia albicauda*. (4 days) Seen well at Bwindi and Fort Portal.

PASSERIFORMES: Paridae (1)

Dusky Tit *Melaniparus funereus*. (1 day) Seen briefly on the Buhoma trail.

PASSERIFORMES: Alaudidae (1)

White-tailed Lark *Mirafra albicauda*. (1 day) Only seen on the savanna at Queen Elizabeth. Decent looks.

PASSERIFORMES: Nicatoridae (1)

Western Nicator *Nicator chloris*. (2 days) Seen on way to Masindi, and near Budongo.

PASSERIFORMES: Macrosphenidae (4)

Green Crombec *Sylvietta virens*. (3 days) Seen at Buhoma and Kibale, and one heard at Murchison.

Northern Crombec *Sylvietta brachyura*. (1 day) One seen well at Murchison.

Moustached Grass-Warbler *Melocichla mentalis*. (2 days) One in field near Budongo, one heard at Murchison.

Green Hylia *Hylia prasine*. (1 day) Seen briefly on the Buhoma trail.

PASSERIFORMES: Cisticolidae (18)

Rufous-crowned Eremomela *Eremomela badiceps*. (1 day) Seen briefly in the Royal Mile forest.

Green-backed (Bleating) Camaroptera *Camaroptera brachyura*. (4 days) Scattered sightings, some good looks.

Buff-bellied Warbler *Phyllolais pulchella*. (1 day) Seen briefly but well at Murchison.

Black-throated Apalis *Apalis jacksoni*. (1 day) Seen quite well on the Buhoma trail.

Buff-throated Apalis *Apalis rufogularis*. (1 day) Brief but good view in the Royal Mile forest.

Gray Apalis *Apalis cinereal*. (1 day) Seen briefly but quite well on the Buhoma trail.

Tawny-flanked Prinia *Prinia subflava*. (1 day) Decent views in field near Budongo.

White-chinned Prinia *Schistolais leucopogon*. (2 days) Several seen on the Buhoma and Bigodi trails.

Black-faced Rufous-Warbler *Bathmocercus rufus*. (1 day) Seen briefly on the Buhoma trail.

Gray-capped Warbler *Eminia lepida*. (1 day) Seen fairly well at the Nguse River Camp.

Red-faced Cisticola *Cisticola erythrops*. (2 days) Seen fairly well at Bigodi and the Nguse River Camp.

Whistling Cisticola *Cisticola lateralis*. (3 days) Seen at Nguse River Camp, several heard at Murchison.

Trilling Cisticola *Cisticola woosnami*. (2 days) Seen briefly and heard at Mburo.

Chubb's Cisticola *Cisticola chubby*. (2 days) Heard at Mburo, one seen at the Nguse River Camp.

Rattling Cisticola *Cisticola chiniana*. (4 days) Several seen and heard at Murchison.

Winding Cisticola *Cisticola galactotes*. (1 day) Seen and heard at Mabamba Swamp.

Carruthers's Cisticola *Cisticola carruthersi*. (2 days) One seen at Queen Elizabeth, one heard at Murchison.

Croaking Cisticola *Cisticola natalensis*. (2 days) Singles seen and heard at Queen Elizabeth.

PASSERIFORMES: Acrocephalidae (1)

Greater Swamp Warbler *Acrocephalus rufescens*. (1 day) One seen quite well during one of the Nile boat trips.

PASSERIFORMES: Locustellidae (1)

Highland Rush Warbler *Bradypterus centralis*. (1 day) One seen briefly but well at wetland in Fort Portal.

PASSERIFORMES: Hirundinidae (11)

Rock Martin *Ptyonoprogne fuligula*. (5 days) Locally common; pairs nesting at some lodges. Many great views.

Barn Swallow *Hirundo rustica*. (1 day) Only seen in Entebbe. Perhaps overlooked.

Ethiopian Swallow *Hirundo aethiopica*. (1 day) One, possibly two, seen well in flight at the 'Nengo' gorge bridge.

Angola Swallow *Hirundo angolensis*. (12 days) Common and widespread, particularly in urban areas. Good looks.

Wire-tailed Swallow *Hirundo smithii*. (4 days) Dozens seen well at the Kazinga Channel, Murchison Falls and on the Nile.

Red-rumped Swallow *Cecropis daurica*. (1 day) Seen in flight at Buhoma. Perhaps overlooked.

Lesser Striped-Swallow *Cecropis abyssinica*. (4 days) Fairly common; seen at scattered locations.

Rufous-chested Swallow *Cecropis semirufa*. (2 days) Seen well in flight and on utility wires at Mburo.

Mosque Swallow *Cecropis senegalensis*. (1 day) Seen well perched on utility wire by lodge at Buhoma.

White-headed Sawwing *Psalidoprocne albiceps*. (4 days) Perched and flying parties at Lake Mburo and Murchison Falls.

Black Sawwing *Psalidoprocne pristoptera*. (2 days) Several seen in flight at the 'Nengo' gorge bridge and Buhoma.

PASSERIFORMES: Pycnonotidae (7)

Slender-billed Greenbul *Stelgidillas gracilirostris*. (1 day) Brief but good look on the Buhoma trail.

Shelley's Greenbul *Arizelocichla masukuensis*. (1 day) Seen briefly on the Buhoma trail.

Yellow-throated Greenbul *Atimastillas flavicollis*. (1 day) Good looks in Entebbe.

Red-tailed Greenbul *Criniger calurus*. (1 day) Seen fairly well in the Royal Mile forest.

Gray Greenbul *Eurillas gracilis*. (1 day) Decent looks in the Royal Mile forest.

Little Greenbul *Eurillas virens*. (1 day) Seen briefly in the Royal Mile forest.

Common Bulbul *Pycnonotus barbatus*. (16) Very common and widespread. Lots of close looks.

PASSERIFORMES: Phylloscopidae (1)

Uganda Woodland-Warbler *Phylloscopus budongoensis* (1 day) Seen briefly in the Royal Mile Forest.

PASSERIFORMES: Cettidae (1)

Chestnut-capped Flycatcher *Erythrocerus mcallii*. (1 day) Decent looks in the Royal Mile Forest.

PASSERIFORMES: Zosteropidae (1)

Green (African Yellow) White-eye *Zosterops senegalensis*. (4 days) Seen at Buhoma, Nguse River Camp and Murchison.

PASSERIFORMES: Pellorneidae (1)

Pale-breasted Illadopsis *Illadopsis rufipennis*. (1 day) Seen quite well in the Royal Mile forest.

PASSERIFORMES: Leiotherichidae (2)

Black-lored Babbler *Turdoides sharpei*. (3 days) Great views at Lyantonde lunch stop, Queen Elizabeth and by Budongo.

Arrow-marked Babbler *Turdoides jardineii*. (3 days) Groups seen well at Mburo and Queen Elizabeth.

PASSERIFORMES: Buphagidae (1)

Yellow-billed Oxpecker *Buphagus africanus*. (6 days) Seen on big game at Mburo, Queen Elizabeth and Murchison.

PASSERIFORMES: Sturnidae (5)

Violet-backed Starling *Cinnyricinclus leucogaster*. (1) Several in forest along road near Kibale.

Chestnut-winged Starling *Onychognathus fulgidus*. (1 day) Several in forest along road near Kibale.

Purple-headed Starling *Hylopsar purpureiceps*. (2 days) Seen near Kibale and along the Royal Mile.

Rüppell's Starling *Lamprotornis purpuroptera*. (13 days) Common and widespread, in both rural and urban areas.

Greater Blue-eared Starling *Lamprotornis chalybaeus*. (1 day) Seen at roadside by Lyantonde lunch stop.

PASSERIFORMES: Turdidae (5)

Rufous Flycatcher-Thrush *Neocossyphus fraseri*. (1 day) One seen at Buhoma.

Red-tailed Ant-Thrush *Neocossyphus rufus* (1 day) One heard in the Royal Mile forest.

White-tailed Ant-Thrush *Neocossyphus poensis*. (1 day) One heard at Buhoma.

Olive (Abyssinian) Thrush *Turdus abyssinicus*. (3 days) Seen at Buhoma and lodge at Queen Elizabeth.

African Thrush *Turdus pelios*. (7 days) Fairly common and widespread.

PASSERIFORMES: Muscicapidae (18)

African Dusky (Dusky-brown) Flycatcher *Muscicapa adusta*. (2 days) A couple of good views.

Swamp Flycatcher *Muscicapa aquatica*. (3 days) Several decent views by the Kazinga Channel and the Nile.

Cassin's Flycatcher *Muscicapa cassini*. (1 day) Great views of one on boulders in a river on the way to Bwindi.

Dusky-blue Flycatcher *Bradornis comitatus*. (1 day) One seen quite well at Buhoma.

African Forest-Flycatcher *Fraseria ocreata*. (1 day) A couple seen quite well along the Royal Mile.

Gray-throated Tit-Flycatcher *Fraseria griseigularis*. (1 day) Decent of one along the Royal Mile.

Silverbird *Melaenornis semipartitus*. (4 days) Great, close looks at the lodge at Murchison.

Northern Black-Flycatcher *Melaenornis edolioides*. (2 days) Good views of singles at Queen Elizabeth and Bigodi.

White-eyed Slaty-Flycatcher *Melaenornis fischeri*. (3 days) Decent views of several singles.

Brown-backed Scrub-Robin *Cercotrichas hartlaubi*. (2 days) Two observations, along the Royal Mile and at Murchison

Gray-winged Robin-Chat *Cossypha polioptera*. (1 day) One seen quite well at Buhoma.

White-browed Robin-Chat *Cossypha heuglini*. (8 days) Locally common; several seen very well, others heard.

Red-capped Robin-Chat *Cossypha natalensis*. (1 day) One seen briefly but well at Buhoma.

Snowy-crowned Robin-Chat *Cossypha niveicapilla*. (1 day) One seen quite well near Kibale.

Spotted Morning-Thrush *Cichladusa guttata*. (4 days) Good looks at Murchison, including in the lodge grounds.

Brown-chested Alethe *Pseudaethe poliocephala*. (1 day) Brief but good views along the Royal Mile.

Forest Robin *Stiphornis erythrorhax*. (1 day) Good looks of one along the Royal Mile.

Sooty Chat *Myrmecocichla nigra*. (3 days) Locally common; several seen well and up close.

PASSERIFORMES: Nectariniidae (15)

Seimund's Sunbird *Anthreptes seimundi*. (1 day) One seen fairly well at Buhoma.

Green Sunbird *Anthreptes rectirostris*. (3 days) Several good views at Buhoma, Queen Elizabeth and Bigodi.

Collared Sunbird *Hedydipna collaris*. (3 days) Seen well at Entebbe, Mburo and Buhoma.

Green-headed Sunbird *Cyanomitra verticalis*. (3 days) Good views at Entebbe, Mburo and Buhoma.

Blue-throated Brown Sunbird *Cyanomitra cyanoaema*. (1 day) Seen fairly well in the Royal Mile Forest.

Western Olive Sunbird *Cyanomitra olivacea*. (2 days) Decent views at Buhoma and the Royal Mile.

Green-throated Sunbird *Chalcomitra rubescens*. (1 day) Seen well at Entebbe.

Scarlet-chested Sunbird *Chalcomitra senegalensis*. (6 days) Scattered observations, fairly common.
Bronze Sunbird *Nectarinia kilimensis*. (6 days) Scattered observations, fairly common. Seen well.
Olive-bellied Sunbird *Cinnyris chloropygius*. (3 days) Good looks at Entebbe, Bigodi and Fort Portal.
Northern Double-collared Sunbird *Cinnyris reichenowi*. (1 day) Seen well at Buhoma.
Beautiful Sunbird *Cinnyris pulchellus*. (1 day) One seen well at Murchison.
Red-chested Sunbird *Cinnyris erythrocerus*. (1 day) Seen well at Nguse River Camp and Masindi.
Variable Sunbird *Cinnyris venustus*. (4 days) Good views at Buhoma and lodge at Queen Elizabeth.
Copper Sunbird *Cinnyris cupreus*. (1 day) Seen very well at the Nguse River Camp.

PASSERIFORMES: Ploceidae (22)

Baglafaecht Weaver *Ploceus baglafaecht*. (2 days) Seen up close at Buhoma and near Budongo.
Little Weaver *Ploceus luteolus*. (8 days) Fairly common and widespread. Seen very well.
Black-necked Weaver *Ploceus nigricollis*. (4 days) Seen well at scattered locations.
Spectacled Weaver *Ploceus ocularis*. (1 day) Seen well at roadside on the way to Bwindi.
Holub's Golden-Weaver *Ploceus xanthops*. (1 day) Seen well on the way to Queen Elizabeth.
Northern Brown-throated Weaver *Ploceus castanops*. (4 days) Scattered observations. Generally seen well.
Northern Masked-Weaver *Ploceus taeniopterus*. (1 day) Seen up close at the Nguse River Camp.
Lesser Masked-Weaver *Ploceus intermedius*. (1 day) Seen well near Lyantonde.
Vieillot's Weaver *Ploceus nigerrimus*. (3 days) Pairs building nests up close at Nguse River Camp and Murchison.
Village Weaver *Ploceus cucullatus*. (8 days) Fairly common and widespread. Often seen very well.
Black-headed Weaver *Ploceus melanocephalus*. (5 days) Seen well at scattered locations.
Brown-capped Weaver *Ploceus insignis*. (1 day) Seen at Buhoma. Decent views.
Compact Weaver *Pachyphantes superciliosus*. (1 day) Seen in field near Budongo. Brief but good looks.
Red-billed Quelea *Quelea quelea*. (1 day) Seen on way to Mburo. Decent views of a flock.
Northern Red Bishop *Euplectes franciscanus*. (2 days) Seen at Murchison. Super views.
Southern Red Bishop *Euplectes orix*. (1 day) Seen on way to Queen Elizabeth. Good looks.
Black Bishop *Euplectes gierowii*. (7 days) Fairly common and widespread. Great looks.
Yellow Bishop *Euplectes capensis*. (1 day) Great views of one on way to Bwindi.
Yellow-mantled Widowbird *Euplectes macroura*. (1 day) Two seen well in field near Budongo.
Red-collared Widowbird *Euplectes ardens*. (1 day) Good looks of two in field near Budongo.
Fan-tailed Widowbird *Euplectes axillaris*. (2 days) Seen well at Mabamba Swamp and Queen Elizabeth.
Grosbeak Weaver *Amblyospiza albifrons*. (1 day) Seen up close at the Nguse River Camp.

PASSERIFORMES: Estrildidae (15)

Gray-headed Nigrita *Nigrita canicapillus*. (3 days) Seen at Buhoma, Bigodi and in field near Budongo.
White-breasted Nigrita *Nigrita fusconotus*. (1 day) Seen briefly but well at Buhoma.
White-collared Oliveback *Nesocharis ansorgei*. (1 day) Seen well at wetland in Fort Portal.
Gray-headed Oliveback *Nesocharis capistrata*. (2 days) Seen in field near Budongo and Murchison.
Yellow-bellied Waxbill *Coccyzygia quartinia*. (1 day) Seen well at wetland in Fort Portal.
Green-backed Twinspot *Mandingoa nitidula*. (1 day) Brief but good view in field near Budongo.
Fawn-breasted Waxbill *Estrilda paludicola*. (1 day) Seen briefly in field near Budongo.
Crimson-rumped Waxbill *Estrilda rhodopyga*. (1 day) Seen fairly well at Murchison.
Black-crowned Waxbill *Estrilda nonnula*. (2 days) Seen at Nguse River Camp and field near Budongo.
Red-cheeked Cordonbleu *Uraeginthus bengalus*. (5 days) Fairly common and widespread. Great views.
Brown Twinspot *Clytospiza monteiri*. (1 day) A couple seen in field near Budongo.
Red-billed Firefinch *Lagonosticta senegala*. (7 days) Common and widespread. Some great looks.

African Firefinch *Lagonosticta rubricata*. (1 day) Seen well in field near Budongo.

African Quailfinch *Ortygospiza atricollis*. (1 day) Seen at Queen Elizabeth. Brief but decent looks.

Bronze Mannikin *Spermestes cucullate*. (10 days) Very common and widespread. Good looks.

PASSERIFORMES: Viduidae (2)

Pin-tailed Whydah *Vidua macroura*. (4 days) Good looks at Buhoma, Queen Elizabeth, Nguse Camp and near Budongo.

Village Indigobird *Vidua chalybeate*. (1 day) Seen briefly but well in field near Budongo.

PASSERIFORMES: Passeridae (3)

House Sparrow *Passer domesticus*. (5 days) Seen at some stops in settlements. A non-native species.

Shelley's Rufous Sparrow *Passer shelleyi*. (1 day) Small flock seen briefly on savanna at Murchison.

Northern Gray-headed Sparrow *Passer griseus*. (14 days) Very common and widespread. Seen up close.

PASSERIFORMES: Motacillidae (4)

African Pied Wagtail *Motacilla aguimp*. (12 days). Common and widespread, often in urban area. Close views.

African Pipit *Anthus cinnamomeus*. (1 day) Seen at Queen Elizabeth. Brief but decent looks.

Plain-backed Pipit *Anthus leucophrys*. (1 day) Seen at Queen Elizabeth. Brief but good looks.

Yellow-throated Longclaw *Macronyx croceus*. (6 day) Common in areas of savanna. Good looks.

PASSERIFORMES: Fringillidae (4)

Yellow-fronted Canary *Crithagra mozambica*. (3 days) Seen at Buhoma, Queen Elizabeth and near Budongo.

Western Citril *Serinus frontalis*. (3 days) Seen at Buhoma, Nguse River Camp and in field near Budongo.

Brimstone Canary *Crithagra sulphurata*. (2 days) Seen at Queen Elizabeth and Bigodi trail.

Thick-billed Seedeater *Crithagra burtoni*. (2 days) Seen briefly but well at Mburo and Buhoma.

MAMMALS: 46 species:

Elephants (2)

African Bush (Savanna) Elephant *Loxodonta africana*. (6 days) Herds seen at Queen Elizabeth and Murchison.

African Forest Elephant *Loxodonta cyclotis*. (2) Signs (dung, footprints) found at Bwindi and Kibale.

Primates (10)

Patas Monkey *Erythrocebus patas*. (4 days) Only seen at Murchison, where locally common. Close views.

Vervet Monkey *Chlorocebus pygerythrus*. (10 days) Very common and widespread. Great encounters.

Tantalus Monkey *Chlorocebus tantalus*. (6 days) Common and widespread. Close and good looks.

Red-tailed Monkey *Cercopithecus Ascanius*. (4 days) Seen in mature forest in Bwindi, Kibale and Budongo.

L'Hoest's Monkey *Cercopithecus lhoesti*. (1 day) Surprisingly, only seen once, on the Buhoma trail.

Blue Monkey *Cercopithecus mitis*. (1 day) Brief but good looks at one on the Royal Mile.

Olive Baboon *Papio Anubis*. (12 days) Common and widespread. Great looks of adults, youngsters and babies.

Mantled Guereza (Black-and-white Colobus). *Colobus guereza*. (8 days) Common in mature forests.

Eastern Mountain Gorilla *Gorilla beringei beringei*. (1 day) A family of 11 seen wonderfully at Bwindi.

Common Chimpanzee *Pan troglodytes* (3 days) Seen briefly in Bwindi and very well (males, females, young) in Kibale.

Rodents (6)

Striped Ground Squirrel *Xerus erythropus*. (2 days)

Carruther's Mountain Squirrel *Funisciurus carruthersi*. (1 day)

Red-legged Sun Squirrel *Heliosciurus rufobrachium*. (2 days)
Alexander's Bush Squirrel *Paraxerus alexandri* (1 day).
Boehm's Bush Squirrel *Paraxerus alexandri* (1 day).
Dormouse Genus *Graphiurus* - exact species unknown. (1 day). In a room at the lodge near Queen Elizabeth.

Lagomorpha (Hares, rabbits) (2)

Bunyoro Rabbit (Uganda Grass Hare) *Poelagus marjorita* (3 days). One seen well around the lodge at Murchison.
African Savanna Hare *Lepus victoriae*. (1 day) Seen on night drive at Murchison.

Bats (1)

Yellow-winged Bat *Lavia frons*. (4 days) Roosting at our lodge in Queen Elizabeth and seen after sunset in Murchison.

Carnivora (9)

African Lion *Panthera leo*. (2 days) Two in Queen Elizabeth, two during the day and two on night drive at Murchison.
African Leopard *Panthera pardus*. (1 day) One seen resting in a tree at Murchison.
African Civet *Civettictis civetta*. (1 day) One seen well after dark by the lodge at Murchison.
Common Genet *Genetta genetta*. (1 day) One seen during night drive at Murchison.
Egyptian Mongoose *Herpestes ichneumon*. (1 day) One seen during night drive at Murchison.
White-tailed Mongoose *Ichneumia albicauda*. (2 days) One seen during day, another during night drive at Murchison.
Banded Mongoose *Mungos mungo*. (1 day) Good looks. 20+ seen at a lodge lunch stop at Queen Elizabeth.
Spotted Hyena *Crocuta crocuta*. (4 days) One seen well during day and at night in Murchison. Others heard elsewhere.
Side-striped Jackal *Canus adustus*. (1 day) Seen during a night drive at Murchison.

Perissodactyla (odd-toed ungulates) (1)

Plains (Mainless) Zebra *Equus quagga borensis*. (3 days) Great looks, but only seen at Mburo, where common.

Artiodactyla (even-toed ungulates) (15)

Common Warthog *Phacochoerus africanus*. (9 days) A group favourite. Common in savanna areas, even by settlements.
Giant Forest Hog *Hylochoerus meinertzhageni*. (2 days) 10+ by the Kazinga Channel, two by the road at Queen Elizabeth.
Hippopotamus *Hippopotamus amphibious*. (7 days) Great views of herds on all larger lakes and the Nile.
Nubian Giraffe *Giraffa c. camelopardalis*. (6 days) Close views of dozens at Mburo and Murchison.
Lelwel Hartebeest *Alcelaphus buselaphus lelwel*. (4 days) Close views at Murchison, where it is common.
Topi *Damaliscus korrigum*. (2 days) Uncommon. A few seen at Mburo and Queen Elizabeth.
Oribi *Ourebia ourebi*. (4 days) Great views at Murchison, where common.
African Buffalo *Syncerus caffer*. (9 days) Common in savanna areas; singles and herds seen up close.
Common Eland *Taurotragus oryx*. (2 days) Uncommon and wary. A few seen at Mburo.
Nile Bushbuck *Tragelaphus sylvaticus*. (4 days) Scattered observations of single individuals.
Common (Bush) Duiker *Sylvicapra grimmia*. (1 day) One seen briefly, but well, at Murchison.
Impala *Aepyceros melampus*. (3 days) Close views of hundreds at Mburo, where common.
Waterbuck *Kobus ellipsiprymnus*. (10 days) Very common and seen well in all savanna areas.
Kob *Kobus kob*. (6 days) Common. Seen well and up close in savanna at Queen Elizabeth and Murchison.
Bohor Reedbuck *Redunca redunca*. (1 day) One seen briefly but well by the road on way to Murchison Falls.

REPTILES: 12 species

Common House Gecko *Hemidactylus frenatus*. (8 days) Seen, often by wall lamps, at most of our hotels and lodges.

Uganda Blue-headed Tree Agama *Acanthocercus ugandaensis*. (5 days) This beautiful lizard was locally common.
Red-headed Rock Agama *Agama agama*. (8 days) Common, often at our hotels, during latter half of the trip.
Nile (Water) Monitor *Varanus niloticus*. (3 days) Seen well during boat trips on the Kazinga Channel and the Nile.
Savannah Monitor *Varanus exanthematicus*. (1 days) One seen briefly but well at Queen Elizabeth.
Nile Crocodile *Crocodylus niloticus*. (4 days) Dozens loafing on the shore at Lake Mburo, Kazinga Channel and the Nile.
Ruwenzori (Johnston's) Three-horned Chameleon *Trioceros johnstoni*. (1 day) One found during the Bwindi Gorilla trek.
Montane Side-striped (Elliot's Groove-throated) Chameleon *Trioceros ellioti*. (2 days) One at Buhoma, one at Kibale.
Speckle-lipped Skink (Speckle-lipped Mabuya) *Trachylepis maculilabris*. (2 days) One in Queen Elizabeth, one Masindi.
Cape File Snake *Limaformosa capensis*. (1 day) One seen at Murchison.
Spotted Bush Snake *Philothamnus semivariatus*. (1 day) One seen crossing a road (safely) near Murchison Falls.
Williams' Hinged Terrapin (Williams' Mud Turtle) *Pelusios williamsi*. (1 day) One in in the Bwindi NP.

BUTTERFLIES: 62 species recorded

(with many thanks to Heather Bagg)

Papilio hesperus Black and Yellow Swallowtail
Papilio demodocus Citrus Swallowtail
Papilio lormieri Central Emperor Swallowtail
Papilio pharcas Apple-green Swallowtail
Papilio nireus Green-banded Swallowtail
Papilio dardanus African Swallowtail or Flying Handkerchief
Papilio nobilis crippsianus Noble Swallowtail
Papilio mackinnoni Mackinnon's Swallowtail
Danaus chrysippis transiem African Queen or African Monarch
Tirumala petiverana Blue Monarch or African Blue Tiger
Graphium polices Common Swordtail
Graphium leonidas Veined Swordtail
Ergolis (Ariadne) albifascia White-banded Castor
Eurema brigitta Small Grass Yellow
Belmenois thysa False Dotted Border
Colotis auxo Yellow Orange Tip or Sulphur Orange Tip
Colotis evenina Common Orange Tip
Nepheronia thalassina Cambridge Vagrant
Anthene larydas Spotted Hairtail
Belenois aurota Pioneer White
Belenois theora Forest Caper White
Belenois gidica African Veined White
Mylothris agothina Eastern Dotted Border

Lampides boeticus Pea Blue
Tuxentius margaritaceus Margarita's Pierrot
Elcochysops hippocrates White-tipped Ash Blue
Bicyclus sophrosyne Large Velvet Bush Brown
Charaxes subornatus Ornate Green Charaxes
Charaxes vareines Pearl Emperor or Pearl Charaxes
Charaxes nunmenes Lesser Blue Charaxes
Charaxes brutus White-barred Emperor or White-barred Charaxes
Protogoniomorpha temora Blue Mother-of-Pearl
Junonia tugela African Leaf Butterfly
Junonia gregorii Gregori's Brown Pansy
Junonia terea Soldier Pansy
Junonia Sophia Little Commodore
Precis sinuate Wide-banded Commodore
Precis milonia Broad-banded Commodore
Hypolimnias salmacis Blue Diadem
Hypolimnias misippus Danaid Diadem
Byblia anvatara cramen African Joker
Hypolimnias anhedon klahlberi Variable Diadem
Hypolimnias dinarcha Large Variable Diadem
Cymothoe weymeri mulatta Weymer's Glider
Cymothoe herminia Herminia Glider
Pseudacraea Lucretia False Diadem
Ypthima albida Silver Ringleet
Bebearia cocalia Common Palm Forester
Bebearia laetitioides 'Forester' species
Euphaedra ruspina Common Orange Forester
Euphaedra alaeis Rapid Forester
Bematistes epaea Common Bematistes
Acraea peneleos Peneleos Acraea
Acraea parrhasia servona Yellow-veined Acraea
Acraea bonasia Bonasia Acraea
Acraea leucographa Ribbe's Glassy Acraea

Coeliades chalybe Common Orange Sprite or Blue Policeman

Hypolycaena hatita Common Fairy Hairstreak

Abisara neavei Neave's Banded Judy

Catuna crithea Common Pathfinder

Cyrestis camillus African Map Butterfly

Phalanta eurytis Forest Leopard Fritillary